

Audio coil DFCoil

Price list

Manufacturer: Mavin-group (Russian Federation) www.mg-russia.com

Wire: copper M00k (Similar to the military standard of Russia)

Accuracy: $\pm 1.5\%$ (Manual setting of each product)

Covering: covering by a jute thread, varnishing (two layers)

Order options:

Index	Option	Comments	Restrictions
R	Ordinary winding (turn to turn)	not available	no restrictions
RL	Ordinary impregnated winding	not available	no restrictions
RLJ	Ordinary winding, coating with jute thread, varnish impregnation	available	no restrictions-
RPLJ	Ordinary winding, barrier layers, coating with jute thread, varnish impregnation	available	no restrictions-
ULJ	Universal, coating with jute thread, varnish impregnation	available	wire diameter less than 1 mm
HLJ	Long stride (pseudo winding in bulk), coating with jute thread, varnish impregnation	available	wire with a diameter greater than 0.71 mm
DLJ	Double step, coating with jute thread, varnish impregnation	available	no restrictions

Model	Price (opt. DLJ), €	Price Price (opt. DLJ), \$	Inductivity, mH	RDC, Ohm	Wire diameter, mm	AWG caliber	Size Diameter x Length, mm	Size Diameter x Length, inch	Production time, working days
DFCoil-0,1/0,5	2,38	2,77	0,1	0,46	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,12/0,5	2,4	2,8	0,12	0,51	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,15/0,5	2,42	2,82	0,15	0,57	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,18/0,5	2,46	2,87	0,18	0,63	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,22/0,5	2,5	2,92	0,22	0,71	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,27/0,5	2,55	2,97	0,27	0,78	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,33/0,5	2,6	3,04	0,33	0,88	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,39/0,5	2,65	3,09	0,39	97	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,47/0,5	2,7	3,15	0,47	1,07	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,56/0,5	2,76	3,22	0,56	1,18	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,68/0,5	2,82	3,29	0,68	1,32	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,75/0,5	2,86	3,34	0,75	1,39	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,82/0,5	2,9	3,39	0,82	1,46	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,91/0,5	2,95	3,44	0,91	1,56	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-1/0,5	2,99	3,49	1	1,64	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-1,2/0,5	3,06	3,57	1,2	1,82	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-1,5/0,5	3,2	3,74	1,5	2,08	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-1,8/0,5	3,3	3,85	1,8	2,31	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-2/0,5	3,39	3,95	2	2,45	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-2,2/0,5	3,46	4,04	2,2	2,59	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-2,4/0,5	3,5	4,09	2,4	2,74	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-2,7/0,5	3,63	4,24	2,7	2,92	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-3/0,5	3,7	4,32	3	3,11	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-3,3/0,5	3,79	4,42	3,3	3,31	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-3,6/0,5	3,88	4,52	3,6	3,47	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-3,9/0,5	3,95	4,6	3,9	3,65	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-4,1/0,5	3,99	4,65	4,1	3,75	0,5	AWG 24	50x38	1,97x1,5	10-14

Model	Price (opt. DLJ), €	Price Price (opt. DLJ), \$	Inductivity, mH	RDC, Ohm	Wire diameter, mm	AWG caliber	Size Diameter x Length, mm	Size Diameter x Length, inch	Production time, working days
DFCoil-4,3/0,5	4,03	4,7	4,3	3,87	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-4,7/0,5	4,15	4,84	4,7	4,08	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-5,1/0,5	4,23	4,94	5,1	4,28	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-5,6/0,5	4,35	5,07	5,6	4,53	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-6,2/0,5	4,49	5,24	6,2	4,83	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-6,8/0,5	4,59	5,35	6,8	5,09	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-7,5/0,5	4,76	5,55	7,5	5,41	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-8,2/0,5	4,88	5,69	8,2	5,71	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-9,1/0,5	5,08	5,92	9,1	6,09	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-10/0,5	5,23	6,1	10	7,32	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-12/0,5	5,56	6,49	12	8,49	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-15/0,5	6,02	7,02	15	9,58	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-18/0,5	6,49	7,57	18	10,59	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-22/0,5	7	8,17	22	11,81	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-25/0,5	7,38	8,6	25	12,65	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-27/0,5	7,62	8,89	27	13,2	0,5	AWG 24	50x38	1,97x1,5	10-14
DFCoil-0,1/0,71	2,66	3,1	0,1	0,24	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,12/0,71	2,73	3,19	0,12	0,27	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,15/0,71	2,78	3,24	0,15	0,3	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,18/0,71	2,86	3,34	0,18	0,34	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,22/0,71	2,95	3,44	0,22	0,37	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,27/0,71	3,06	3,57	0,27	0,42	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,33/0,71	3,15	3,67	0,33	0,47	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,39/0,71	3,22	3,75	0,39	0,52	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,47/0,71	3,35	3,9	0,47	0,58	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,56/0,71	3,46	4,04	0,56	0,65	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,68/0,71	3,62	4,22	0,68	0,72	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,75/0,71	3,7	4,32	0,75	0,77	0,71	AWG 21	50x38	1,97x1,5	10-14

Model	Price (opt. DLJ), €	Price Price (opt. DLJ), \$	Inductivity, mH	RDC, Ohm	Wire diameter, mm	AWG caliber	Size Diameter x Length, mm	Size Diameter x Length, inch	Production time, working days
DFCoil-0,82/0,71	3,79	4,42	0,82	0,81	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-0,91/0,71	3,86	4,5	0,91	0,86	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-1/0,71	3,99	4,65	1	0,91	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-1,2/0,71	4,19	4,89	1,2	1,02	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-1,5/0,71	4,43	5,17	1,5	1,17	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-1,8/0,71	4,66	5,44	1,8	1,31	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-2/0,71	4,83	5,64	2	1,39	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-2,2/0,71	4,99	5,82	2,2	1,47	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-2,4/0,71	5,15	6	2,4	1,85	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-2,7/0,71	5,39	6,29	2,7	1,99	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-3/0,71	5,55	6,47	3	2,09	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-3,3/0,71	5,7	6,65	3,3	2,19	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-3,6/0,71	5,95	6,94	3,6	2,31	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-3,9/0,71	6,12	7,14	3,9	2,42	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-4,1/0,71	6,19	7,22	4,1	2,48	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-4,3/0,71	6,35	7,4	4,3	2,54	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-4,7/0,71	6,59	7,69	4,7	2,66	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-5,1/0,71	6,76	7,89	5,1	2,8	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-5,6/0,71	7,08	8,25	5,6	2,93	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-6,2/0,71	7,32	8,54	6,2	3,09	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-6,8/0,71	7,63	8,9	6,8	3,27	0,71	AWG 21	50x38	1,97x1,5	10-14
DFCoil-7,5/0,71	8,6	10,04	7,5	3,44	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-8,2/0,71	8,93	10,42	8,2	3,61	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-9,1/0,71	9,33	10,89	9,1	3,83	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-10/0,71	9,66	11,27	10	4,02	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-12/0,71	10,38	12,1	12	4,45	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-15/0,71	11,42	13,32	15	5,04	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-18/0,71	12,39	14,45	18	6,4	0,71	AWG 21	80x44	3,15x1,73	10-14

Model	Price (opt. DLJ), €	Price Price (opt. DLJ), \$	Inductivity, mH	RDC, Ohm	Wire diameter, mm	AWG caliber	Size Diameter x Length, mm	Size Diameter x Length, inch	Production time, working days
DFCoil-22/0,71	13,59	15,85	22	7,2	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-25/0,71	14,48	16,89	25	7,66	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-27/0,71	14,96	17,45	27	8,04	0,71	AWG 21	80x44	3,15x1,73	10-14
DFCoil-0,1/1	3,2	3,74	0,1	0,13	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,12/1	3,36	3,92	0,12	0,15	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,15/1	3,52	4,1	0,15	0,17	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,18/1	3,68	4,29	0,18	0,19	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,22/1	3,83	4,47	0,22	0,21	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,27/1	3,99	4,65	0,27	0,24	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,33/1	4,23	4,94	0,33	0,27	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,39/1	4,48	5,22	0,39	0,3	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,47/1	4,7	5,49	0,47	0,34	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,56/1	4,95	5,77	0,56	0,37	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,68/1	5,26	6,14	0,68	0,5	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,75/1	5,58	6,5	0,75	0,52	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,82/1	5,66	6,6	0,82	0,55	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-0,91/1	5,89	6,87	0,91	0,59	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-1/1	6,05	7,05	1	0,61	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-1,2/1	6,53	7,62	1,2	0,67	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-1,5/1	7,16	8,35	1,5	0,77	1	AWG 18	50x38	1,97x1,5	10-14
DFCoil-1,8/1	8,36	9,75	1,8	0,84	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-2/1	8,83	10,3	2	0,9	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-2,2/1	8,99	10,49	2,2	0,95	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-2,4/1	9,48	11,05	2,4	0,99	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-2,7/1	9,79	11,42	2,7	1,07	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-3/1	10,26	11,97	3	1,12	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-3,3/1	10,73	12,52	3,3	1,18	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-3,6/1	11,05	12,89	3,6	1,45	1	AWG 18	80x44	3,15x1,73	10-14

Model	Price (opt. DLJ), €	Price Price (opt. DLJ), \$	Inductivity, mH	RDC, Ohm	Wire diameter, mm	AWG caliber	Size Diameter x Length, mm	Size Diameter x Length, inch	Production time, working days
DFCoil-3,9/1	11,53	13,45	3,9	1,51	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-4,1/1	11,85	13,82	4,1	1,54	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-4,3/1	12	14	4,3	1,58	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-4,7/1	12,48	14,55	4,7	1,65	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-5,1/1	12,95	15,1	5,1	1,74	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-5,6/1	13,59	15,85	5,6	1,83	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-6,2/1	14,22	16,59	6,2	1,92	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-6,8/1	14,85	17,32	6,8	2,01	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-7,5/1	15,63	18,24	7,5	2,14	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-8,2/1	16,28	18,99	8,2	2,24	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-9,1/1	17,06	19,9	9,1	2,36	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-10/1	18,02	21,02	10	2,49	1	AWG 18	80x44	3,15x1,73	10-14
DFCoil-12/1	20,89	24,37	12	2,74	1	AWG 18	100x44	3,94x1,73	10-14
DFCoil-15/1	23,26	27,14	15	3,1	1	AWG 18	100x44	3,94x1,73	10-14
DFCoil-18/1	25,48	29,72	18	3,43	1	AWG 18	100x44	3,94x1,73	10-14
DFCoil-22/1	28,33	33,05	22	3,83	1	AWG 18	100x44	3,94x1,73	10-14
DFCoil-25/1	30,23	35,27	25	4,09	1	AWG 18	100x44	3,94x1,73	10-14
DFCoil-27/1	31,49	36,74	27	4,29	1	AWG 18	100x44	3,94x1,73	10-14
DFCoil-0,1/1,25	4,06	4,74	0,1	0,09	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,12/1,25	4,19	4,89	0,12	0,1	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,15/1,25	4,32	5,04	0,15	0,12	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,18/1,25	4,56	5,32	0,18	0,13	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,22/1,25	5,05	5,89	0,22	0,15	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,27/1,25	5,3	6,19	0,27	0,2	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,33/1,25	5,55	6,47	0,33	0,22	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,39/1,25	6,03	7,04	0,39	0,24	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,47/1,25	6,4	7,47	0,47	0,27	1,25	AWG 16	50x38	1,97x1,5	10-14
DFCoil-0,56/1,25	6,78	7,9	0,56	0,3	1,25	AWG 16	50x38	1,97x1,5	10-14

Model	Price (opt. DLJ), €	Price Price (opt. DLJ), \$	Inductivity, mH	RDC, Ohm	Wire diameter, mm	AWG caliber	Size Diameter x Length, mm	Size Diameter x Length, inch	Production time, working days
DFCoil-0,68/1,25	8,09	9,44	0,68	0,33	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-0,75/1,25	8,33	9,72	0,75	0,35	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-0,82/1,25	8,58	10	0,82	0,36	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-0,91/1,25	9,08	10,59	0,91	0,39	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-1/1,25	9,32	10,87	1	0,41	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-1,2/1,25	10,06	11,74	1,2	0,45	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-1,5/1,25	11,05	12,89	1,5	0,51	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-1,8/1,25	12,03	14,04	1,8	0,65	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-2/1,25	12,52	14,6	2	0,68	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-2,2/1,25	13,26	15,47	2,2	0,73	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-2,4/1,25	13,76	16,05	2,4	0,76	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-2,7/1,25	14,49	16,9	2,7	0,81	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-3/1,25	15,23	17,77	3	0,85	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-3,3/1,25	15,98	18,64	3,3	0,9	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-3,6/1,25	16,72	19,5	3,6	0,95	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-3,9/1,25	17,45	20,35	3,9	0,98	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-4,1/1,25	17,7	20,65	4,1	1,01	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-4,3/1,25	18,19	21,22	4,3	1,03	1,25	AWG 16	80x44	3,15x1,73	10-14
DFCoil-4,7/1,25	20,32	23,7	4,7	1,08	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-5,1/1,25	21,06	24,57	5,1	1,14	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-5,6/1,25	22,05	25,72	5,6	1,2	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-6,2/1,25	23,03	26,87	6,2	1,26	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-6,8/1,25	24,26	28,3	6,8	1,33	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-7,5/1,25	25,49	29,74	7,5	1,4	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-8,2/1,25	26,73	31,19	8,2	1,46	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-9,1/1,25	27,96	32,62	9,1	1,56	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-10/1,25	29,43	34,34	10	1,64	1,25	AWG 16	100x44	3,94x1,73	10-14
DFCoil-12/1,25	32,65	38,09	12	1,82	1,25	AWG 16	100x44	3,94x1,73	10-14

Model	Price (opt. DLJ), €	Price Price (opt. DLJ), \$	Inductivity, mH	RDC, Ohm	Wire diameter, mm	AWG caliber	Size Diameter x Length, mm	Size Diameter x Length, inch	Production time, working days
DFCoil-15/1,25	39,36	45,92	15	2,06	1,25	AWG 16	130x69	5,12x2,72	10-14
DFCoil-18/1,25	43,06	50,24	18	2,28	1,25	AWG 16	130x69	5,12x2,72	10-14
DFCoil-22/1,25	47,73	55,69	22	2,68	1,25	AWG 16	130x69	5,12x2,72	10-14
DFCoil-25/1,25	50,95	59,44	25	2,89	1,25	AWG 16	130x69	5,12x2,72	10-14
DFCoil-27/1,25	52,92	61,74	27	3	1,25	AWG 16	130x69	5,12x2,72	10-14
DFCoil-0,1/1,5	4,93	5,75	0,1	0,07	1,5	AWG 14	50x38	1,97x1,5	10-14
DFCoil-0,12/1,5	5,29	6,17	0,12	0,09	1,5	AWG 14	50x38	1,97x1,5	10-14
DFCoil-0,15/1,5	5,63	6,57	0,15	0,1	1,5	AWG 14	50x38	1,97x1,5	10-14
DFCoil-0,18/1,5	5,99	6,99	0,18	0,11	1,5	AWG 14	50x38	1,97x1,5	10-14
DFCoil-0,22/1,5	6,35	7,4	0,22	0,13	1,5	AWG 14	50x38	1,97x1,5	10-14
DFCoil-0,27/1,5	7,63	8,9	0,27	0,14	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-0,33/1,5	7,98	9,3	0,33	0,16	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-0,39/1,5	8,69	10,14	0,39	0,17	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-0,47/1,5	9,4	10,97	0,47	0,19	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-0,56/1,5	10,1	11,79	0,56	0,21	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-0,68/1,5	10,82	12,62	0,68	0,27	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-0,75/1,5	11,18	13,04	0,75	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-0,82/1,5	11,52	13,44	0,82	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-0,91/1,5	12,23	14,27	0,91	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-1/1,5	12,95	15,1	1	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-1,2/1,5	14	16,34	1,2	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-1,5/1,5	15,42	17,99	1,5	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-1,8/1,5	16,83	19,64	1,8	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-2/1,5	17,9	20,89	2	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-2,2/1,5	18,6	21,7	2,2	0	1,5	AWG 14	80x44	3,15x1,73	10-14
DFCoil-2,4/1,5	20,82	24,29	2,4	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-2,7/1,5	21,88	25,52	2,7	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-3/1,5	22,93	26,75	3	0	1,5	AWG 14	100x44	3,94x1,73	10-14

Model	Price (opt. DLJ), €	Price Price (opt. DLJ), \$	Inductivity, mH	RDC, Ohm	Wire diameter, mm	AWG caliber	Size Diameter x Length, mm	Size Diameter x Length, inch	Production time, working days
DFCoil-3,3/1,5	24	28	3,3	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-3,6/1,5	25,06	29,24	3,6	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-3,9/1,5	26,13	30,49	3,9	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-4,1/1,5	26,83	31,3	4,1	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-4,3/1,5	27,55	32,14	4,3	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-4,7/1,5	28,96	33,79	4,7	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-5,1/1,5	30,02	35,02	5,1	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-5,6/1,5	31,79	37,09	5,6	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-6,2/1,5	33,56	39,15	6,2	0	1,5	AWG 14	100x44	3,94x1,73	10-14
DFCoil-6,8/1,5	37,98	44,3	6,8	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-7,5/1,5	40,1	46,79	7,5	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-8,2/1,5	41,88	48,85	8,2	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-9,1/1,5	43,99	51,32	9,1	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-10/1,5	46,12	53,8	10	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-12/1,5	50,38	58,77	12	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-15/1,5	56,75	66,2	15	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-18/1,5	62,42	72,82	18	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-22/1,5	69,85	81,49	22	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-25/1,5	74,82	87,29	25	0	1,5	AWG 14	130x69	5,12x2,72	10-14
DFCoil-27/1,5	77,65	90,59	27	0	1,5	AWG 14	130x69	5,12x2,72	10-14